



# Agilent E6560C cdma2000/IS-95/AMPS Wireless Test Manager

## Product Overview



Reduce wireless devices  
test cost for manufacturing  
by using powerful, easy-to-  
use test automation software

### Tests Supported

#### CDMA call processing

- MEID supported (Yes/No)
- Public long code mask type (ESN based, BS assigned, MEID based)
- Registration
- Page (base station origination)
- MS (mobile station) origination
- Base station release
- Voice quality analog quick audio functionality
- Talk time
- IMT-2000, Japan CDMA, NMT-450, Korean PCS, US PCS, AWS, and US cellular bands
- Hard handoffs (system, band, channel and PN offset)
- CDMA AMPS interband handoff

#### CDMA transmitter tests

- Waveform quality
- Code domain power
- Traffic channel open loop power control
- Closed loop power control
- Time response of open loop power control
- Maximum RF output power
- Minimum controlled output power
- Access probe open loop power
- Gated power
- Code channel timing and phase error
- Transmitter spurious emissions
- Handoff waveform quality
- Code channel power accuracy
- Spurious emission

#### CDMA receiver tests

- Traffic channel FER with AWGN
- Supplemental channel FER with AWGN
- Receiver sensitivity FER
- Receiver sensitivity level search

#### CDMA Rx/Tx tests

- Quick general test

#### AMPS transmitter tests

- Frequency error
- RF power output
- Audio frequency response
- Audio distortion
- FM hum and noise
- SAT deviation and frequency error
- Compressor response
- Analog DTMF
- Analog signaling tone

#### AMPS receiver tests

- SINAD
- Audio frequency response
- Audio distortion
- Hum and noise
- Expander response

#### General tests

- Current drain
- Start loop
- End loop
- Send/Receive GPIB command
- Data analyzer
- Send/Receive DUT command
- Agilent 14565B Device Characterization Software control



Agilent Technologies

## Hardware Supported

### Test instruments

- Agilent 8960 Series 10 wireless communications test set
  - E5515C mainframe (or equivalent E5515B/T) with Option 003
  - E1962B cdma2000/IS-95/AMPS Mobile Test Application (revision B.12.12 or later)
  - E1987A GSM/GPRS/EGPRS, AMPS/136, cdma2000, 1xEV-DO, W-CDMA Fast Switching Mobile Test Application (revision A.05.18 or later)
- Also compatible with:
  - E6702B cdma2000 Lab Application (revision B.05.12 or later)
- Agilent 66311B, 66319B, and 66321B power supplies
- Agilent 34970A with 34901A, 34903A, and 34907A data acquisition/switch unit

### Fixtures

- Tescom TC-5941, TC5942, and TC-5952B

### Adapters

- Agilent 82357A USB/GPIB interface
- National Instruments GPIB-USB-A external controller

### PC cards

- Agilent GPIB
- National Instruments GPIB
- Advantech PCI 1750 digital I/O
- Comtrol RocketPort 95870-3 and 99096-3 multi-port serial card

### Peripherals

- Symbol LS-1220-1200A fixed bar code reader
- Symbol LS-3603MX-1200A, P300FZY, and LS40041-1100 handheld bar code reader
- HP printers
- Epson TM-U200D and TM-U220D strip printer

### PC requirements

- Operating system: Microsoft® Windows XP Professional® Service Pack 2, Windows 2000® Professional Service Pack 4
- Microsoft Visual Studio .NET®
- Microsoft Internet Explorer® Version 5.0 or later
- 600 MHz Pentium® III or higher (1 GHz Pentium III or higher for extended capability)
- 256 MB RAM minimum (512 MB is recommended for normal development and is required for extended capability operation)
- 200 MB free hard drive space
- CD-ROM
- GPIB card or converter with VISA drivers (one per test system)
- USB port for security key connection
- Serial ports for fixtures, device control, and bar code reader
- Compatible with E6571A and E6571C Wireless Test Manager Run-Time License

### Order Information

- E6560C cdma2000/IS-95/AMPS Wireless Test Manager
- Option 100 Development and Run-Time license with software
- Option 200 Development and Run-Time software upgrade

### For more information

E6560C wireless test manager specifications and product literature are available at [www.agilent.com/find/E6560C](http://www.agilent.com/find/E6560C)

8960 test set specifications, product literature, application notes and configuration guide are available at [www.agilent.com/find/8960](http://www.agilent.com/find/8960)

Pentium is a U.S. registered trademark of Intel Corporation.  
Microsoft, Windows, XP Professional, 2000, Visual Studio .NET, and Internet Explorer are U.S. registered trademarks of Microsoft Corp.

## www.agilent.com

For more information on Agilent Technologies' products, applications or services, please contact your local Agilent office. The complete list is available at:

[www.agilent.com/find/contactus](http://www.agilent.com/find/contactus)

### Americas

Canada	(877) 894-4414
Latin America	305 269 7500
United States	(800) 829-4444

### Asia Pacific

Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 112 929
Japan	81 426 56 7832
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866
Thailand	1 800 226 008

### Europe

Austria	0820 87 44 11
Belgium	32 (0)2 404 93 40
Denmark	45 70 13 15 15
Finland	358 (0)10 855 2100
France	0825 010 700
Germany	01805 24 6333* *0.14€/minute
Ireland	1890 924 204
Italy	39 02 92 60 8484
Netherlands	31 (0)20 547 2111
Spain	34 (91)631 3300
Sweden	0200-88 22 55
Switzerland (French)	41 (21)8113811(Opt 2)
Switzerland (German)	0800 80 53 53 (Opt 1)
United Kingdom	44 (0)118 9276201

Other European Countries:

[www.agilent.com/find/contactus](http://www.agilent.com/find/contactus)

Revised: May 7, 2007

Product specifications and descriptions in this document subject to change without notice.

© Agilent Technologies, Inc. 2002-2007  
Printed in USA, June 5, 2007  
5989-0968EN



Agilent Technologies